INDEX TO

THE WELDING JOURNAL

VOLUME 35—1956

Published by the American Welding Society, 33 West 39th Street, New York 18, N. Y.

The Welding Journal

This part includes general technical articles, papers presented before Section and National meetings, articles for the practical welder and designer, news, biographical items, current welding literature and advertising.

Page allocation by issues

January	1–104	July	639–752
February	105–200	August	753–856
March	201–298	September	857–988
April	299–436	October	989–1094
May	437–540	November	1095–1190
June	541–638	December	1191–1296

Welding Research Supplement

This section includes the reports of the Welding Research Council, critical digests of the literature, reports of the Project Committees and research reports of industry.

Page allocation by issues

January	1-s–64-s	July	313-s–360-s
February	65-s–112-s	August	361-s–408-s
March	113-s–160-s	September	409-s–472-s
April	161-s–216-s	October	473-s–520-s
May	217-s–264-s	November	521-s–568-s
June	265-s–312-s	December	569-s–624-s

THE WELDING JOURNAL

SUBJECT INDEX

Adams Lecture, 1955—An Interpretation of Research and Experience in Structural Welding—La Motte Grover, 209–224.
Aircraft Spot-Weld Reliability, Systems Analysis Approach to—J. M. Peterson and E. R. Funk, 679–683.
Alloy Steels, A New Approach to the Automatic Welding of—Emmett Smith and Paul Jerabek, 244–247.
All-Welded 96-Ft American-Built Motor Yacht—La Motte Grover and E. H. Holder, 30–39.
Aluminum Fabrications, Large-Scale—S. I. Roberts and O. P. Cardinal, 1125–1127.
Aluminum, Stainless Steels and High-Nickel Alloys, Thermal Cutting of—Edward M. Roper, 915–919.
Application of Pressure Welding to the Aircraft Industry—Arnold R. Lage, 1103–1109.
Application of Safe Welding Practices—Leon J. Rose, 1034–1038.
Automatic Hard Surfacing Saves Pipe and Catalyst—R. F. Arnoldy, 784–790.
Automatic Welding, A New Approach to, of Alloy Steels—Emmett Smith and Paul Jerabek, 244–247.
Automobile Rear-Axle Housings, Inert-Arc Consumable-Electrode Welding for—E. G. Lommel, 319–325.

Barges, Offshore Drilling—Robert H. Macy, 122–128.
Behavior of Welded Pressure Vessels in Agricultural Ammonia Service—Thomas J. Dawson, 568–574.
Brazing Alloys, Commercial Silver-Copper-Phosphorus, Physical Properties of—Karl M. Weigert, 672–674.
Brazing, Mechanized, of Fan Components—Frank C. Leuthner, 136–141.

Carbon Dioxide, Mild-Steel Electrodes for Gas Metal-Arc Welding in—Julian D. Carey and Robert D. Mann, 556–559.
Carbon-Dioxide-Shielded Consumable-Electrode Arc Welding—G. R. Rothschild, 19–29.
Carbon-Dioxide-Shielded Metal-Arc Welding Process—R. J. Keller and J. Koss, 145–151.
Carbon Dioxide Welding of Steel, Moisture and Its Effects in—R. W. Tuthill, 330–333.
Characteristics of a Rectifier-Type Constant-Voltage Power Supply—J. W. Pomazal, 142–144.
Comparative Properties of Electrodes for Arc Welding Austenitic Manganese Steels—W. L. Lutes and H. F. Reid, Jr., 776–783.
Compressor Cases High-Speed Welding of Steel—C. F. Stephenson and R. A. Stone, 113–121.
Constricted Tungsten-Arc Cutting of Aluminum—G. W. Oyler, R. L. O'Brien and J. Maier III, 1214–1221.
Consumable-Electrode Arc Welding, Carbon-Dioxide Shielded—G. R. Rothschild, 19–29.
Consumable-Electrode Welding of 4130 Steel, Gas-Shielded—C. R. Sibley, 334–340.
Contour Beveling with the Electronic Tracer—Howard Cary and R. F. Helmkamp, 450–455.
Crosshead Beams for the World's Largest Forging Press, Fabrication of—V. M. Nigriny, 9–18.

Development and Investigation of High-Tensile High-Impact Electrodes—G. S. Wepfer, 229–235.
Development of Welding Safe Practices in an Industrial Plant—Robert L. Snyders, 1030–1033.

Economics of Welding Small Noncritical Pipe—H. A. Sosnin, 796–800.

Editorial Previews

New Welding Research Facilities Unveiled by Worthington Corp., 478–479.

Effective Welding Circuit Maintenance—Donald L. Caldwell, 326–329.
Electrodes, Development and Investigation of High-Tensile High-Impact—G. S. Wepfer, 229–235.
Electrodes for Arc Welding Austenitic Manganese Steels, Comparative Properties of—W. L. Lutes and H. F. Reid, Jr., 776–783.
Electrodes, Metal Powder, and Their Applications—E. Di Liberti, 791–795.
Electrodes, Mild Steel, for Gas Metal-Arc Welding in Carbon Dioxide—Julian D. Carey and Robert D. Mann, 556–559.
Electrodes, New Iron-Powder, and Their Applications—Robert Shutt, 1207–1213.
Electrodes, Properties and Applications of Low-Hydrogen Iron-

Powder—D. C. Smith, W. G. Rinehart and D. C. Helton, 341–347.
Electronic Tracer Contour Beveling with the—Howard Cary and R. F. Helmkamp, 450–455.
Evaluating the Iron-Powder Coated Electrodes for Production Use—Discussion—Jerry Hinkel, 472–473; Author's Reply, 473.

Fabrication of Crosshead Beams for the World's Largest Forging Press—V. M. Nigriny, 9–18.
Fabrication of the Homogeneous Reactor Test Vessel Assembly—L. F. Bledsoe, F. V. Daly, G. E. Elder, W. R. Gall and E. C. Miller, 997–1005; Discussion by R. J. Keller, 1005–1006; Authors' Reply, 1006.
Fire Protection in Welding—Earl R. Wallace, 1026–1029.
Fusion Welding Zirconium for a Nuclear Reactor—Bruce L. Baird, 1007–1014; Discussion by D. C. Martin, 1014; Author's Reply, 1014.

Gas-Shielded Consumable-Electrode Welding of 4130 Steel—C. R. Sibley, 334–340.
Gas-Shielded Metal-Arc Welding, Power Supplies for—A. Lesnewich and B. Cushman, 655–664.

Hard Surfacing, Automatic, Saves Pipe and Catalyst—R. F. Arnoldy, 784–790.
Hard Surfacing for Petroleum Industry Equipment, Longer Service Life Through—H. S. Gonser, 890–894.
Health Aspects in Welding—B. L. Vosburgh and J. J. Ferry, 1015–1020.
High-Frequency Continuous Seam Welding of Ferrous and Nonferrous Tubing—H. B. Osborn, Jr., 1199–1206.
High-Nickel Alloys Aluminum and Stainless Steels, Thermal Cutting of—Edward M. Roper, 915–919.
High-Speed Welding of Steel Compressor Cases—C. F. Stephenson and R. A. Stone, 113–121.
Homogeneous Reactor Test Vessel Assembly, Fabrication of the—L. F. Bledsoe, F. V. Daly, G. E. Elder, W. R. Gall and E. C. Miller, 997–1005.
How to Reclaim Plant and Machinery by Practical Welding Applications—G. Gordon Musted, 560–567.
How to Use Steel Effectively in Machinery—Omer Blodgett, 311–318.

Inert-Arc Consumable-Electrode Welding for Automobile Rear-Axle Housings—E. G. Lommel, 319–325.
Inert-Arc Welding, Recent Developments in—F. J. Pilia, 40–46.
Inert-Gas Metal-Arc Process, Welding Aluminum to Copper Using—L. A. Cook and M. F. Stavish, 348–355.
Inert-Gas-Shielded Metal-Arc-Spot Process—J. W. Kehoe and H. J. Bichsel, 895–903.
Interpretation of Research and Experience in Structural Welding, An—1955 Adams Lecture—La Motte Grover, 209–224.

Joining Tubes to Tube Sheets for Corrosive Radioactive Chemical Service—W. R. Smith, 307–310.

Large-Scale Aluminum Fabrications—S. I. Roberts and O. P. Cardinal, 1125–1127.
Longer Service Life Through Hard Surfacing for Petroleum Industry Equipment—H. S. Gonser, 890–894.

Machinery, How to Use Steel Effectively in—Omer Blodgett, 311–318.
Maintenance, Effective Welding Circuit—Donald L. Caldwell, 326–329.
Mechanized Brazing of Fan Components—Frank C. Leuthner, 136–141.
Metal-Arc Welding Process, Carbon-Dioxide-Shielded—R. J. Keller and J. Koss, 145–151.
Metal-Powder Electrodes and Their Applications—E. Di Liberti, 791–795.
Metal Spraying with Rockets—J. W. Buffington and J. A. Browning, 468–471.
Mild-Steel Electrodes for Gas Metal-Arc Welding in Carbon Dioxide—Julian D. Carey and Robert D. Mann, 556–559.
Mild Steel, Straight-Polarity, Inert-Gas Process for Welding—J. M. Cameron and A. J. Baeslack, 445–449.
Moisture and Its Effects in Carbon Dioxide Welding of Steel—R. W. Tuthill, 330–333.
Molybdenum Heat Exchangers, Welding of—R. E. Monroe and D. C. Martin, 1222–1225.
Motor Yacht, All-Welded 96-Ft American-Built—La Motte Grover and E. H. Holder, 30–39.
Multipower Submerged-Arc Welding of Pressure Vessels and Pipe—R. A. Kubli and H. I. Shrubsall, 1128–1135.

New Approach to the Automatic Welding of Alloy Steels—Emmett Smith and Paul Jerabek, 244–247.
New Concept in Fabrication and Launching of Vehicular Tunnel Tubes—F. P. Inpalucci, C. J. Ascenzi and S. W. Gearhart, 904–914.
New Iron-Powder Electrodes and Their Applications—Robert Shutt, 1207–1213.
New Surfacing Techniques—K. H. Koopman and R. S. Zuchowski, 665–671.
Nickel-Aluminum Bronze, Welding of—John L. Cahill, 1226–1230.
Nondestructive Testing Methods, Some, for Testing Welds—W. J. McGonnagle, 1110–1119.
Nuclear Reactor, Fusion Welding Zirconium for—Bruce L. Baird, 1007–1014.
Numerous Automatic Submerged-Arc Welds in New Automobile Axle Housing—A. F. Boucher, 1120–1124.

Offshore Drilling Barges—Robert H. Macy, 122–128.
Oxygen Cutting, Transverse Cracking Resulting from—Norman N. Breyer, 865–876.

Permeability and Crack Sensitivity of Stainless Welds—John L. Lang and Charles Wright, 225–228.
Physical Properties of Commercial Silver-Copper-Phosphorus Brazing Alloys—Karl M. Weigert, 672–674.
Pipe-Line Welding Methods, Nonmanual, Status of Efforts to Develop—Paul S. Reed, 877–883.
Pipe, Small Noncritical, Economics of Welding—H. A. Sosnin, 796–800.
Piping, Welding of High-Temperature High-Pressure, with Chrome-Moly Electrodes—Lloyd C. Nesbitt, 129–135.
Power Supplies for Gas-Shielded Metal-Arc Welding—A. Lesnewich and E. Cushman, 655–664.

Practical Welder
Aircraft, Spot Weld "Hits Spot" in Manufacture of—Frank Pedroja, Jr., 586–587.
All-Welded Aluminum Lift Installed on Essex Carrier *Bon Homme Richard*—G. Hughes, 1231–1232.
Aluminum Dump Body, Welding an—W. C. Weltman, 49–50.
Aluminum Lift, All-Welded, Installed on Essex Carrier *Bon Homme Richard*—G. Hughes, 1231–1232.
Armature Assemblies, Resistance Brazing of, 362.
Bridges Erected in New York State Since 1942, Nearly 800 Welded Steel, 361.
Buildup Made Easier by Gas Tungsten-Arc Process—C. J. Beavers, 152.
Cast Weldments Help to Produce Specialized Units, 585.
Chocolate Molds Repaired with Nickel-Steel Solder—Herbert Drapkin, 684–685.
Concrete Mixers Are Welded for Efficiency—1233–1234.
Cutting Cost with Special Welding Fixture and Automatic Welding—A. L. Hill, 477.
Electrodes, Low-Hydrogen, Make Preheating Unnecessary—George Bain, 358.
Fabrication of Heavy Gondolas Speeded by Proper Welding Techniques and Equipment—Robert Losee, 921–922.
Gas-Shielded Metal-Arc Spot Welding Saves $1400—1234.
Harbor Tunnel Sections Built on the Assembly Line, 474–476.
Inert-Gas Metal-Arc Saves $676 in Rebuilding Job, 47.
Inert-Gas Tungsten-Arc Hard Surfacing Doubles Grain Hammer Life, 589–590.
Inert-Gas Tungsten-Arc Welding Speeds Fabrication of Ramps, 588–589.
Jet Engine Parts, Oxyacetylene Welding of, 581–582.
Like-New Hoppers, at a Fraction of New Car Cost, 685–686.
Low-Hydrogen Electrodes Make Preheating Unnecessary—George Bain, 358.
Mash-Seam Welding, Production of Refrigerator Inner Liners Speeded by, 803.
Metallizing, Worn Valve Plugs Reclaimed by—1232.
Nearly 800 Welded Steel Bridges Erected in New York State Since 1942, 361.
On-the-Spot Welding Completes "Maid of the Mist"—R. H. Slemin, 1136–1137.
One Hundred Hours Saved by Oxygen Cutting—C. G. Davis, 1039.
Oxyacetylene and Inert-Arc Welding Speed Production of Light Aircraft, 922–923.
Oxyacetylene Welding of Jet Engine Parts, 581–582.
Oxygen Cutting–100 Hours Saved by—C. G. Davis, 1039.
Petroleum Filters Are Welded for X-ray Quality, 360.
Production of Refrigerator Inner Liners Speeded by Mash-Seam Welding, 803.
Redesigned Corn-Shelling Machines Use End-Welded Studs as Teeth, 804–806.
Resistance Brazing of Armature Assemblies, 362.
Rigid Frames, Space Structures and Plastic Design—Martin P. Korn, 356–358.
Silver Soldering Joins Monel and Brass in Marine Fabrication, 590.

Solder Nickel-Steel, Chocolate Molds Repaired with—Herbert Drapkin, 684–685.
Spot Weld "Hits Spot" in Manufacture of Aircraft—Frank Pedroja, Jr., 586–587.
Steel Bridges to the West—T. H. Nicholl, 1137.
Stud Welding Simplifies Fastening of Steel Liner Plates, 587–588.
Submerged-Arc-Welded Front-End Loader Proves Strong, Efficient, 253.
Submerged-Arc Welding Solves an "Impossible" One-Piece Casting Job—Wirt F. Buchanan, 583–584.
Submerged-Arc Welds Used in Giant Sphere, 48–49.
Technique for Tube Brazing, 359–360.
Tungsten-Arc Process, Buildup Made Easier by Gas—C. J. Bowers, 152.
Tungsten-Arc Welding Helps Raise Refrigerator Production to 300,000 Units, 476.
Tungsten-Arc Welding Speeds Production of Corrosion-Resistant Cable Supports, 584–585.
Two-in-One Welding—George Kotcher, 924.
Two Million Pounds of Weld Metal Used in Fabrication of U.S.S. *Forrestal*—J. B. Davenport and L. M. Wood, 248–249.
Unique Box Car Rebuilding Program Combines Speed and Efficiency, 1040.
Unusual Fixtures Facilitate Welding, 806.
Welding an Aluminum Dump Body—W. C. Weltman, 49–50.
Welding Repair Costing $600 Reclaims $8000 Engine Blocks—H. C. Waugh, 801–803.
Worn Valve Plugs Reclaimed by Metallizing—1232.

Pressure Vessels and Pipe Multipower Submerged-Arc Welding of—R. A. Kubli and H. I. Shrubsall, 1128–1135.
Pressure Vessels, Welded Behavior of, in Agricultural Ammonia Service—Thomas J. Dawson, 568–574.
Pressure Welding, Application of, to the Aircraft Industry—Arnold R. Lage, 1103–1109.
Pressure Welding by Heating with High-Speed Electrodes—Mellon O. Washburn, 675–678.
Properties and Applications of Low-Hydrogen Iron-Powder Electrodes—D. C. Smith, W. G. Rinehart and D. C. Helton, 341–347.

Recent Developments in Inert-Arc Welding—F. J. Pilia, 40–46.
Rectifier-Type Constant-Voltage Power Supply, Characteristics of—J. W. Pomazal, 142–144.
Resistance Welding Ductile Joints in Commercially Pure Titanium—R. Wickham, 463–467.
Rockets, Metal Spraying with—J. W. Buffington and J. A. Browning, 468–471.
Root Passes in Stainless Steel with New Inert-Arc Procedures—E. B. LaVelle, L. H. Rasmussen and E. M. Kuchera, 647–654.

Safe Practices, Welding, in an Industrial Plant, Development of—Robert L. Snyders, 1030–1033.
Safe Welding Practices, Application of—Leon J. Rose, 1034–1038.
Safety in Installation and Use of Welding Equipment—Benjamin F. Postman, 1021–1025.
Seam Welding, High-Frequency Continuous, of Ferrous and Nonferrous Tubing—H. B. Osborn, Jr., 1199–1206.
Selection Guide for Methods of Submerged-Arc Welding—Robert A. Wilson, 549–555.
Silver-Brazing Lap Joints in Stainless-Steel Tubing—G. H. Bohn, 884–889.
Some Aspects of Metallography of Stainless Steel and Stainless-Steel Weldments—G. V. Smith, 456–462.
Some Nondestructive Testing Methods for Testing Welds—W. J. McGonnagle, 1110–1119.
Spot Process, Inert-Gas-Shielded Metal-Arc—J. W. Kehoe and H. J. Bichsel, 895–903.
Stainless Steel, Root Passes in, with New Inert-Arc Procedures—E. B. LaVelle, L. H. Rasmussen and E. M. Kuchera, 647–654.
Stainless Steel and Stainless-Steel Weldments, Some Aspects of Metallography of—G. V. Smith, 456–462.
Stainless-Steel Tubing, Silver-Brazing Lap Joints in—G. H. Bohn, 884–889.
Stainless Steels, Aluminum, and High-Nickel Alloys, Thermal Cutting of—Edward M. Roper, 915–919.
Stainless Welds, Permeability and Crack Sensitivity of—John L. Lang and Charles Wright, 225–228.
Status of Efforts to Develop Nonmanual Pipe-Line Welding Methods—Paul S. Reed, 877–883.
Straight-Polarity Inert-Gas Process for Welding Mild Steel—J. M. Cameron and A. J. Baeslack, 445–449.
Structural Welding, An Interpretation of Research and Experience in—1955 Adams Lecture—La Motte Grover, 209–224.
Submerged-Arc Welding, a Selection Guide for Methods of—Robert A. Wilson, 549–555.
Submerged-Arc Welding, Multipower, of Pressure Vessels and Pipe—R. A. Kubli and H. I. Shrubsall, 1128–1135.
Submerged-Arc Welds, Numerous Automatic, in New Automobile Axle Housing—A. F. Boucher, 1120–1124.
Surfacing Techniques, New—K. H. Koopman and R. S. Zuchowski, 665–671.
Systems Analysis Approach to Aircraft Spot-Weld Reliability—J. M. Peterson and E. R. Funk, 679–683.

Thermal Cutting of Aluminum, Stainless Steels, and High-Nickel Alloys—Edward M. Roper 915–919; Discussion, Julius C. Ritter, 920; Author's Reply, 920.
Titanium, Commercially Pure, Resistance Welding Ductile Joints in—R. Wickham, 463–467.
Titanium, Welding of—E. F. Gorman, 575–580.
Transient Problems with High-Flux Density Transformers in Welding Applications—R. C. Mierendorf, 236–243; Discussion by Carter Sinclair, 243; Author's Reply, 243.
Transverse Cracking Resulting from Oxygen Cutting—Norman N. Breyer, 865–876.
Tubes to Tube Sheets for Corrosive Radioactive Chemical Service, Joining—W. R. Smith, 307–310.
Tungsten-Arc Cutting, Constricted, of Aluminum.—G. W. Oyler, R. L. O'Brien and J. Maier III, 1214–1221.

Ultrasonic Welding—J. Byron Jones and James J. Powers, Jr., 761–766.

Vehicular Tunnel Tubes, a New Concept in Fabrication and Launching of—F. P. Iapalucci, C. J. Ascenzi and S. W. Gearhart, 904–914.

Welded Overlay Rotating Bands—Frank W. Hussey and Irving C. Betz, 767–775.
Welding Aluminum to Copper Using Inert-Gas Metal-Arc Process—L. A. Cook and M. F. Stavish, 348–355.
Welding Equipment, Safety in Installation and Use of—Benjamin F. Postman, 1021–1025.
Welding of High-Temperature High-Pressure Piping with Chrome-Moly Electrodes—Lloyd C. Nesbitt, 129–135.
Welding of Molybdenum Heat Exchangers—R. E. Monroe and D. C. Martin, 1222–1225.
Welding of Nickel-Aluminum Bronze—John J. Cahill, 1226–1230.
Welding of Titanium—E. F. Gorman, 575–580.

Zirconium for a Nuclear Reactor, Fusion Welding—Bruce L. Baird, 1007–1014.

AUTHOR INDEX

Arnoldy, R. F.—Automatic Hard Surfacing Saves Pipe and Catalyst, 784–790.
Ascenzi, C. J.—A New Concept in Fabrication and Launching of Vehicular Tunnel Tubes, 904–914.

Baeslack, A. J.—A Straight-Polarity, Inert-Gas Process for Welding Mild Steel, 445–449.
Baird, B. L.—Fusion Welding Zirconium for a Nuclear Reactor, 1007–1014.
Discussion by D. C. Martin, 1014; Author's Reply, 1014.
Betz, Irving G.—Welded Overlay Rotating Bands, 767–775.
Bichsel, H. J.—Inert-Gas-Shielded Metal-Arc-Spot Process, 895–903.
Bledsoe, L. F.—Fabrication of the Homogeneous Reactor Test Vessel Assembly, 997–1005.
Discussion by R. J. Keller, 1005–1006; Author's Reply, 1006.
Blodgett, Omer—How to Use Steel Effectively in Machinery, 311–318.
Bohn, G. H.—Silver-Brazing Lap Joints in Stainless-Steel Tubing, 884–889.
Boucher, A. F.—Numerous Automatic Submerged-Arc Welds in New Automobile Axle Housing, 1120–1124.
Breyer, Norman N.—Transverse Cracking Resulting from Oxygen Cutting, 865–876.
Browning, J. A.—Metal Spraying with Rockets, 468–471.
Buffington, J. W.—Metal Spraying with Rockets, 468–471.

Cahill, John L.—Welding of Nickel-Aluminum Bronze, 1226–1230.
Caldwell, Donald L.—Effective Welding Circuit Maintenance, 326–329.

Cameron, J. M.—A Straight-Polarity, Inert-Gas Process for Welding Mild Steel, 445–449.
Cardinal, O. P.—Large-Scale Aluminum Fabrications, 1125–1127.
Carey, Julian D.—Mild Steel Electrodes for Gas Metal-Arc Welding in Carbon Dioxide, 556–559.
Cary, Howard—Contour Beveling with the Electronic Tracer, 450–455.
Cook, L. A.—Welding Aluminum to Copper Using Inert-Gas Metal-Arc Process, 348–355.
Cushman, E.—Power Supplies for Gas-Shielded Metal-Arc Welding, 655–664.

Daly, F. V.—Fabrication of the Homogeneous Reactor Test Vessel Assembly, 997–1005.
Discussion by R. J. Keller, 1005–1006.
Author's Reply, 1006.
Dawson, Thomas J.—Behavior of Welded Pressure Vessels in Agricultural Ammonia Service, 568–574.
Di Liberti, E.—Metal-Powder Electrodes and Their Applications, 791–795.

Elder, G. E.—Fabrication of the Homogeneous Reactor Test Vessel Assembly, 997–1005.

Ferry, J. J.—Health Aspects of Welding, 1015–1020.
Funk, E. R.—A Systems Analysis Approach to Aircraft Spot Weld Reliability, 679–683.

Gall, W. R.—Fabrication of the Homogeneous Reactor Test Vessel Assembly, 997–1005.
Gearhart, S. W.—A New Concept in Fabrication and Launching of Vehicular Tunnel Tubes, 904–914.
Gonser, H. S.—Longer Service Life Through Hard Surfacing for Petroleum Industry Equipment, 890–894.
Gorman, E. F.—Welding of Titanium, 575–580.
Grover, La Motte—All-Welded 96-Ft American-Built Motor Yacht, 30–39.
1955 Adams Lecture—An Interpretation of Research and Experience in Structural Welding, 209–224.

Helmkamp, R. F.—Contour Beveling with the Electronic Tracer, 450–455.
Helton, D. C.—Properties and Applications of Low-Hydrogen Iron-Powder Electrodes, 341–347.
Hinkel, Jerry—Discussion of "Evaluating the Iron-Powder Coated Electrodes for Production Use," 472–473.
Holder, E. H.—All-Welded 96-Ft American-Built Motor Yacht, 30–39.
Hughes, G.—All-Welded Aluminum Lift Installed on Essex Carrier *Bon Homme Richard*, 1231–1232.
Hussey, Frank W.—Welded Overlay Rotating Bands, 767–775.

Iapalucci, F. P.—A New Concept in Fabrication and Launching of Vehicular Tunnel Tubes, 904–914.

Jerabek, Paul—A New Approach to the Automatic Welding of Alloy Steels, 244–247.
Jones, J. Byron—Ultrasonic Welding, 761–766.

Kehoe, J. W.—Inert-Gas-Shielded Metal-Arc-Spot Process, 895–903.
Keller, R. J.—The Carbon-Dioxide-Shielded Metal-Arc Welding Process, 145–151.
Koopman, K. H.—New Surfacing Techniques, 665–671.
Koss, J.—The Carbon-Dioxide-Shielded Metal-Arc Welding Process, 145–151.
Kubli, R. A.—Multipower Submerged-Arc Welding of Pressure Vessels and Pipe, 1128–1135.
Kuchera, E. M.—Root Passes in Stainless Steel with New Inert-Arc Procedures, 647–654.

Lage, Arnold P.—Application of Pressure Welding to the Aircraft Industry, 1103–1109.
Lang, John I.—Permeability and Crack Sensitivity of Stainless Welds, 225–228.
La Velle, E. B.—Root Passes in Stainless Steel with New Inert-Arc Procedures, 647–654.
Lesnewich, A.—Power Supplies for Gas-Shielded Metal-Arc Welding, 655–664.
Leuthner, Frank G.—Mechanized Brazing of Fan Components 136–141.
Lommel, E. G.—Inert-Arc Consumable-Electrode Welding for Automobile Rear-Axle Housings, 319–325.
Lutes, W. L.—Comparative Properties of Electrodes for Arc Welding Austenitic Manganese Steels, 776–783.

Macy, Robert H.—Offshore Drilling Barges, 122–128.
Maier, III, J.—Constricted Tungsten-Arc Cutting of Aluminum, 1214–1221.
Mann, Robert D.—Mild Steel Electrodes for Gas Metal-Arc Welding in Carbon Dioxide, 556–559.
Martin, D. C.—Discussion of "Fusion Welding Zirconium for a Nuclear Reactor," 1014.
Welding of Molydenum Heat Exchangers, 1222–1225.
McGonnagle, W. J.—Some Nondestructive Testing Methods for Testing Welds, 1110–1119.
Mierendorf, R. C.—Transient Problems with High-Flux Density Transformers in Welding Applications, 236–242. Discussion by Carter Sinclair, 243; Author's Reply, 243.
Miller, E. C.—Fabrication of the Homogeneous Reactor Test Vessel Assembly, 997–1005.
Monroe, R. E.—Welding of Molybdenum Heat Exchangers, 1222–1225.
Musted, G. Gordon—How to Reclaim Plant and Machinery by Practical Welding Applications, 560–567.

Nesbitt, Lloyd C.—Welding of High-Temperature High-Pressure Piping with Chrome-Moly Electrodes, 129–135.
Nicholl, T. H.—Steel Bridges to the West, 1137.
Nigriny, V. M.—Fabrication of Crosshead Beams for the World's Largest Forging Press, 9–18.

O'Brien, R. L.—Constricted Tungsten-Arc Cutting of Aluminum, 1214–1221.
Osborn, Jr., H. B.—High-Frequency Continuous Seam Welding of Ferrous and Nonferrous Tubing, 1199–1206.
Otler, G. W.—Constricted Tungsten-Arc Cutting of Aluminum, 1214–1221.

Peterson, J. M.—A Systems Analysis Approach to Aircraft Spot Weld Reliability, 679–683.
Pilia, F. J.—Recent Developments in Inert-Arc Welding, 40–46.
Pomazal, J. W.—Characteristics of a Rectifer-Type Constant-Voltage Power Supply, 142–144.
Postman, B. F.—Safety in Installation and Use of Welding Equipment, 1021–1025.
Powers, Jr., James J.—Ultrasonic Welding, 761–766.

Rasmussen, L. H.—Root Passes in Stainless Steel with New Inert-Arc Procedures, 647–654.
Reed, Paul S.—Status of Efforts to Develop Nonmanual Pipe-Line Welding Methods, 877–883.
Reid, Jr., H. F.—Comparative Properties of Electrodes for Arc Welding Austenitic Manganese Steels, 776–783.
Rinehart, W. G.—Properties and Applications of Low-Hydrogen Iron-Powder Electrodes, 341–347.
Ritter, Julius C.—Discussion of "Thermal Cutting of Aluminum, Stainless Steels, and High-Nickel Alloys," 920.
Roberts, S. I.—Large-Scale Aluminum Fabrications, 1125–1127.
Roper, Edward H.—Thermal Cutting of Aluminum, Stainless Steels, and High-Nickel Alloys, 915–919; Discussion by Julius C. Ritter and Author's Reply, 920.
Rose, L. J.—Application of Safe Welding Practices, 1034–1038.
Rothschild, G. R.—Carbon-Dioxide-Shielded Consumable-Electrode Arc Welding, 19–29.

Shrubsall, H. I.—Multipower Submerged-Arc Welding of Pressure Vessels and Pipe, 1128–1135.
Shutt, Robert—New Iron-Powder Electrodes and Their Applications, 1207–1213.
Sibley, C. R.—Gas-Shielded Consumable-Electrode Welding of 4130 Steel, 334–340.
Slemin, R. H.—On-the-Spot Welding Completes "Maid of the Mist," 1136–1137.
Smith, D. C.—Properties and Applications of Low-Hydrogen Iron-Powder Electrodes, 341–347.
Smith, Emmett—A New Approach to the Automatic Welding of Alloy Steels, 244–247.
Smith, G. V.—Some Aspects of the Metallography of Stainless Steel and Stainless Steel Weldments, 456–462.
Smith, W. R.—Joining Tubes to Tube Sheets for Corrosive Radioactive Chemical Service, 307–310.
Snyders, R. L.—Development of Welding Safe Practices in an Industrial Plant, 1030–1033.
Sosnin, H. A.—Economics of Welding Small, Noncritical Pipe, 796–800.
Stavish, M. F.—Welding Aluminum to Copper Using Inert-Gas Metal-Arc Process, 348–355.
Stephenson, C. F.—High Speed Welding of Steel Compressor Cases, 113–121.
Stone, R. A.—High Speed Welding of Steel Compressor Cases, 113–121.

Tuthill, R. W.—Moisture and It Effects in Carbon Dioxide Welding of Steel, 330–333.

Vosburgh, B. L.—Health Aspects of Welding, 1015–1020.

Wallace, E. R.—Fire Protection in Welding, 1026–1029.
Washburn, Mellon O.—Pressure Welding by Heating with High-Speed Electrodes, 675–678.
Weigert, Karl M.—Physical Properties of Commercial Silver-Copper-Phosphorus Brazing Alloys, 672–674.

Weffer, G. S.—The Development and Investigation of High-Tensile High-Impact Electrodes, 229–235.
Wickham, R.—Resistance Welding Ductile Joints in Commercially Pure Titanium, 463–467.
Wilson, Robert—A Selection Guide for Methods of Submerged Arc Welding, 549–555.
Wright, Charles—Permeability and Crack Sensitivity of Stainless Welds, 225–228.
Zuchowski, R. S.—New Surfacing Techniques, 665–671.

WELDING RESEARCH SUPPLEMENT

SUBJECT INDEX

Aluminum Alloys, Welding of High-Strength in Heavy Sections—W. G. Groth and R. A. Matuszeski, 616-s to 622-s.
Aluminum and Aluminum Alloys for Pressure Vessels—Marshall Holt, 308-s to 312-s.
Aluminum and Copper, Thermal Stability of Cold Butt Welds in—W. H. Bruckner and J. H. Sayles, 501-s to 505-s.
Aluminum, Inert Shielding Gases for Welding of—J. D. Dowd, 207-s to 210-s.
Aluminum and Stainless Steel Properties of Arc-Welded Joints Between—M. A. Miller and E. W. Mason, 323-s to 328-s.
Arc, Analysis of the Direct-Current—Alan D. Morris and Willis C. Gore, 153-s to 160-s.
Arc Temperatures, Effect of Current and Atmospheres on—G. M. Gordon, Olga A. Cotter and E. R. Parker, 109-s to 112-s.
Arc-Welding Temperatures—R. J. Grosh and E. A. Trabant, 396-s to 400-s.
Arc Welding, Thermal Efficiency in—J. Ter Berg and A. Larigaldie, 252-s to 254-s.
Armor Steel, Evaluation of Weld-Cracking Tests on—S. Weiss, J. N. Ramsey and H. Udin, 348-s to 356-s.
Austenite Formation in Plain Carbon Steels at High Heating Rates—Robert A. Huggins, Harry Udin and John Wulff, 18-s to 26-s.

Brazed Butt Joints, Mechanical Properties of, with BAg-1, BAg-3 and BCu Filler Metals—G. Hansel, 211-s to 216-s.
Brazing—A Dew-Point-Temperature Diagram for Metal-Metal Oxide Equilibria in Hydrogen Atmospheres—W. H. Chang, 622-s to 624-s.
Brazing Filler Materials, Basic Characteristics of Some Heat-Resistant—W. H. Chang, 431-s to 443-s.
Brazing—Wettability of Steel, with Pure Silver and Various Silver Brazing Alloys—N. Bredzs, 508-s to 520-s.
Brittle Fracture—Effect of Microstructure on the Morphology of Fracture—Part II—J. C. Danko and R. D. Stout, 77-s to 81-s.
Brittle Fracture—Effect of Microstructure on Notch Toughness—Part III—J. H. Gross and R. D. Stout, 72-s to 76-s.
Brittle Fracture—Effect of Notch Orientation on Weld-Metal-Impact Properties—D. J. Snyder, 381-s to 382-s.
Brittle Fracture—Effect of Temperature on the Fracturing Behavior of Mild Steel—J. D. Lubahn, 557-s to 568-s.
Brittle-Fracture, Embrittlement of a Ship Steel in a Nitrate Salt Bath—D. J. Garibotti, C. A. Beiser and E. B. Evans, 383-s to 388-s.
Brittle Fracture—Further Studies on the Effect of Microstructure on Notch Toughness and Fracture Morphology—J. C. Danko, J. H. Gross and R. D. Stout, 604-s to 609-s.
Brittle Fracture—Impact Performance of Synthetically Reproduced Heat-Affected Zone Microstructures in T-1 Steel—E. F. Nippes and C. R. Sibley, 473-s to 480-s; Discussion—K. Winterton, 480-s.
Brittle Fracture Strength of Metals, Triaxial Testing—N. Bredzs and H. Schwartzbart, 610-s to 615-s.

Cast Irons, A Test Block for Welding Gray and Nodular—Willerd A. Schumbacker and Anton L. Schaeffler, 91-s to 97-s; Discussion—L. M. Petryck and G. R. Pease, 97-s to 98-s; Discussion—Hallock C. Campbell, 98-s; Authors' Reply, 98-s to 99-s.
Cold Butt Welds in Copper and Aluminum, Thermal Stability of—W. H. Bruckner and J. H. Sayles, 501-s to 505-s.
Copper and Aluminum, Thermal Stability of Cold Butt Welds in—W. H. Bruckner and J. H. Sayles, 501-s to 505-s.
Corrosion of Nickel-Chromium-Iron Alloys by Welding Slags—G. R. Pease, 469-s to 472-s.
Cr-Mo Alloy Steel Pipe, Arc Welding of—Jay Bland, 181-s to 194-s; Discussion—R. A. Huseby and M. A. Scheil, 505-s to 507-s.
Crack Propagation—Strain Energy Release Rate Determination for Some Perforated Structural Members—Emmet E. Day, 60-s to 64-s.
Cupro-Nickels Welded by the Inert-Gas Shielded Arc Processes—L. H. Hawthorne and R. F. Burth, 401-s to 408-s.
Cutting, Oxygen—K. Teske, 480-s.

Dissimilar Metals—Aluminum and Stainless Steel, Properties of Arc-Welded Joints Between—M. A. Miller and E. W. Mason, 323-s to 328-s.

Electrodes—The Effect of Aluminum Additions to Mild-Steel Weld Metal—C. R. Sibley, 361-s to 368-s.
Electrode Melting Rate, Effect of I²R Heating on—J. L. Wilson, G. E. Claussen and C. E. Jackson, 1-s to 8-s.
Electrodes, Effect of Individual Coating Ingredients on Surface Tension of Iron—Thomas H. Hazlett and Earl R. Parker, 113-s to 114-s.
Electrodes—Effect of Moisture in the Coatings of Low-Hydrogen Iron-Powder Electrodes—D. C. Smith, W. G. Rinehart and K. P. Johannes, 313-s to 322-s.
Electrodes—Effect on Notch Orientation on Weld-Metal Impact Properties—D. J. Snyder, 381-s to 382-s.
Electrodes—Some Dynamic Mechanical Properties of Heat-Treated Low-Alloy Weld Deposits—E. H. Franks and W. H. Wooding, 291-s to 297-s.

Fatigue Data in Design of Pressure Vessels, Significance of—Thomas J. Dolan, 255-s to 260-s.
Fatigue of Large Welded Test Pieces, Effect of Annealing on Bending—P. E. Wiene, 261-s to 264-s.
Fatigue, Resistance of Low-Alloy Steel Plates to Biaxial—C. E. Bowman and T. J. Dolan, 102-s to 109-s.
Fatigue Strength of Welds in Low-Alloy Structural Steels—J. E. Stallmeyer, G. E. Nordmark, W. H. Munse and N. M. Newmark, 298-s to 307-s.
Fatigue Tests of Model Pressure Vessels—J. Dubuc and G. Welter, 329-s to 337-s.
Flash Welding of Steel Tubing, The Effects of Zinc Phosphate Coating on—J. F. Young and A. Phillips, 416-s to 420-s.
Fracture Behavior in the Notch Slow-Bend Test—W. J. Murphy and R. D. Stout, 169-s to 180-s.

Girders, Stiffeners in Welded Plate—H. Louis and F. Campus, 59-s.
Graphitization—Carbon Migration in Welded Joints at Elevated Temperatures—R. J. Christoffel and R. M. Curran, 457-s to 468-s.

High-Strength Pressure Vessel Steels, Performance of—J. H. Gross and R. D. Stout, 115-s to 119-s.
High-Temperature Purposes—Welding of Steels for—E. Kauhausen, 347-s, 356-s.

Inconel "W," Optimum Spot and Seam Welding Conditions for—Ernest F. Nippes, Warren F. Savage and Khosrow L. Moazed, 127-s to 136-s.
Inconel Weldments, Rupture Properties of, at 1400, 1600 and 1800° F—D. A. Scott, 161-s to 163-s.
Inert Gas Shielded Electrodes—The Effect of Aluminum Additions to Mild-Steel Weld Metal—C. R. Sibley, 361-s to 368-s.

Low Alloy to Stainless Steel Joints for High Temperature—J. T. Tucker and F. Eberle, 529-s to 540-s.
Low-Alloy Steel Plates, Resistance to Biaxial Fatigue—C. E. Bowman and T. J. Dolan, 102-s to 109-s.
Low-Hydrogen Iron-Powder Electrodes, Effect of Moisture in the Coatings of—D. C. Smith, W. G. Rinehart and K. P. Johannes, 313-s to 322-s.
Low-Temperature Stress Relieving of Pressure Vessels—T. W. Greene and C. R. McKinsey, 145-s to 152-s.

Molybdenum, Fabrication and Welding of Arc-Cast by R. E. Monroe, N. E. Weare and D. C. Martin, 488-s to 498-s.
Molybdenum Welds—Influence of Oxygen on Soundness and Ductility of Molybdenum Welds—W. N. Platte, 369-s to 381-s.
Nickel and High-Nickel Alloys for Pressure Vessels—R. M. Wilson, Jr., and W. F. Burchfield, 32-s to 40-s.
Nodular Cast Irons, Test Block for Welding—Willerd A. Schumbacker and Anton L. Schaeffler, 91-s to 97-s; Discussion—

L. M. Petryck and G. R. Pease, 97-s to 98-s; Discussion—Hallock C. Campbell, 98-s; Author's Reply, 98-s to 99-s.
Notch Ductility of Weld Metal—William S. Pellini, 217-s to 233-s.
Notch Toughness—Further Studies on the Effect of Microstructure on—J. C. Danko, J. H. Gross and R. D. Stout, 604-s to 609-s.

Openings in Structural-Steel Tension Members, Reinforced—D. D. Vasarhelyi and R. A. Hechtman, 421-s to 430-s.
Oxygen Cutting—K. Teske, 480-s.

Pipe, Arc Welding of 2.25% Cr - 1.0% Mo Alloy Steel—Jay Bland, 181-s to 194-s; Discussion—R. A. Huseby and M. A. Scheil, 505-s to 507-s.
Pipe Joints, Development of a Ferrite-Austenitic Weld Joint for Steam Plant Application—J. T. Tucker and F. Eberle, 529-s to 540-s.
Porosity, Mild-Steel Weld-Metal—J. T. Ballass and R. D. Stout, 409-s to 415-s.
Postheating and Preheating for Field Erection of Mild-Steel Pressure Vessels—L. J. McGeady, 444-s to 446-s.
Preheating and Postheating for Field Erection of Mild-Steel Pressure Vessels—L. J. McGeady, 444-s to 446-s.
Pressure Vessels, Aluminum and Aluminum Alloys for—Marshall Holt, 308-s to 312-s.
Pressure Vessel Codes, Considerations Affecting Future—J. J. Murphy, C. R. Soderberg, Jr., and D. B. Rossheim, 582-s to 596-s.
Pressure Vessels, Controlled Low-Temperature Stress Relieving of—T. W. Greene and C. R. McKinsey, 145-s to 152-s.
Pressure Vessels—Investigation of Static and Fatigue Resistance of—J. Dubuc and G. Welter, 329-s to 337-s.
Pressure Vessels, Nickel and High-Nickel Alloys for—R. M. Wilson, Jr., and W. F. Burchfield, 32-s to 40-s.
Pressure Vessels, Preheating and Postheating for Field Erection of Mild Steel—L. J. McGeady, 444-s to 446-s.
Pressure Vessels—Resistance of Low-Alloy Steel Plates to Biaxial Fatigue—C. E. Bowman and T. J. Dolan, 102-s to 109-s.
Pressure Vessels, Significance of Fatigue Data in Design of—Thomas J. Dolan, 255-s to 260-s.
Pressure Vessel Steels, Effect of Cold Work on the Mechanical Properties of—W. T. Lankford, 195-s to 206-s.
Pressure Vessel Steels, The Performance of High-Strength—J. H. Gross and R. D. Stout, 115-s to 119-s.
Pressure Vessels—Stress-Corrosion Cracking of Type 304 Austenitic Stainless Steel—H. L. Logan and R. J. Sherman, Jr., 389-s to 395-s.
Pressure Vessels, Stresses in Welded—W. P. Kerkhof, 41-s to 59-s.

Quenched and Tempered Steels, Evaluation of the Significance of Charpy Tests for—P. P. Puzak and W. S. Pellini, 275-s to 290-s.

Quenched and Tempered Steels—Impact Performance of Synthetically Reproduced Heat-Affected Zone Microstructures in T-1 Steel—E. F. Nippes and C. R. Sibley 473-s to 480-s; Discussion—K. Winterton, 480-s.

Research—An Aid to Productivity—A. R. Lytle, 357-s to 360-s.
Resistance Welding—Metal Finish Seam Welding—W. J. Allen and M. L. Begeman, 597-s to 603-s.

Seam and Spot Welding, Optimum Conditions for Inconel "W"—Ernest F. Nippes, Warren F. Savage and Khosrow L. Moazed, 127-s to 136-s.
Seam Welding, Metal Finish—W. J. Allen and M. L. Begeman, 597-s to 603-s.
Seam Welds, Electrical and Metallurgical Characteristics of—E. J. Funk and M. L. Begeman, 265-s to 274-s.
Ships—Welded Reinforcement of Openings in Structural-Steel Tension Members—D. D. Vasarhelyi and R. A. Hechtman, 421-s to 430-s.
Silver—Brazing Alloys, Wettability of Steel—N. Bredzs, 508-s to 520-s.
Slags, Corrosion of Nickel-Chromium-Iron Alloys by Welding—G. R. Pease, 469-s to 472-s.
Spot and Seam Welding, Optimum Conditions for Inconel "W"—Ernest F. Nippes, Warren F. Savage and Khosrow L. Moazed, 127-s to 136-s.
Spot Weld Behavior Under Stress—John F. Rudy, Roy B. McCauley and Robert S. Green, 65-s to 71-s.
Spot Welding Titanium to Other Metals—F. W. McBee, Jr., J. Henson and L. R. Benson, 481-s to 487-s.
Stainless, Corrosion of Nickel-Chromium-Iron Alloys by Welding Slags—G. R. Pease, 469-s to 472-s.
Stainless Steel and Aluminum Properties of Arc-Welded Joints Between—M. A. Miller and W. E. Mason, 323-s to 328-s.
Stainless Steels, Corrosion in Hot-Hypochlorite Solution—C. Bighi and G. Pancaldi, 430-s.
Stainless Steel—Development of a Ferrite-Austenitic Weld Joint for Steam Plant Application—J. T. Tucker and F. Eberle, 529-s to 540-s.
Stainless Steel, Stress-Corrosion Cracking of Type 304 Austenitic—H. L. Logan and R. J. Sherman, Jr., 389-s to 395-s.
Stainless-Steel Weld Metal, Measurement and Calculation of Ferrite in—W. T. DeLong, G. A. Ostrom and E. R. Szumachowski, 521-s to 528-s.
Stainless Steel Weld Metals, Dependence of Steel Weld Properties on Lattice Structures of—J. Heuschkel, 82-s to 90-s.
Stainless Steels, Welding of High-Strength, for Elevated-Temperature Use—J. J. Vagi and D. C. Martin, 137-s to 144-s.
Stainless Steel Weldments, Hot Cracking of—P. P. Puzak, W. R. Apblett and W. S. Pellini, 9-s to 17-s.
Stainless—Time-Temperature Dependence of Austenitic Stainless Steel Welded Joint Components—J. Heuschkel, 569-s to 581-s.
Stress-Corrosion Cracking of Type 304 Austenitic Stainless Steel—H. L. Logan and R. J. Sherman, Jr., 389-s to 395-s.
Stress Relieving—Effect of Bending Fatigue of Large Welded Test Pieces—P. E. Wiene, 261-s to 264-s.
Stress Relieving, Low-Temperature, of Pressure Vessels—T. W. Greene and C. R. McKinsey, 145-s to 152-s.
Stresses in Welded Pressure Vessels—W. P. Kerkhof, 41-s to 59-s.
Structural—Behavior of Welded Single-Span Frames Under Combined Loading—C. G. Schilling, F. W. Schutz, Jr., and L. S. Beedle, 234-s to 252-s.
Structural Members, Strain Energy Release Rate Determination for—Emmett E. Day, 60-s to 64-s.
Structural-Steel Tension Members, Welded Reinforcement of Openings in—D. D. Vasarhelyi and R. A. Hechtman, 421-s to 430-s.
Structural—Stiffeners in Welded Plate Girders—H. Louis and F. Campus, 59-s.
Structural—Welded Top Plate Beam-Column Connections—R. G. Pray and C. Jensen, 338-s to 347-s.

Thermal Efficiency in Arc Welding—J. Ter Berg and A. Larigaldie, 252-s to 254-s.
Titanium Alloys, Notch Toughness of Weld Deposits in—D. M. Daley, Jr., and C. E. Hartbower, 447-s to 456-s.
Titanium Spot Welded to Other Metals—F. W. McBee, Jr., J. Henson and L. R. Benson, 481-s to 487-s.
Titanium—Tensile-Impact Properties of Commercially Pure Titanium at Various Temperatures—O. H. Henry and B. Z. Hyatt, 99-s to 101-s.
Transition Temperature—Evaluation of the Significance of Charpy Tests for Quenched and Tempered Steels—P. P. Puzak and W. S. Pellini, 275-s to 290-s.
Transition Temperature—Fracture Behavior in the Notch Slow-Bend Test—W. J. Murphy and R. D. Stout, 169-s to 180-s.
Transition Temperature—V-Notch Charpy Impact Testing of Weld Metal and Heat-Affected Zone Simultaneously—William P. Hatch, Jr., and Carl E. Hartbower, 120-s to 126-s.
Transition Temperature of Weld Metal—William S. Pellini, 217-s to 233-s.

Weldability—Dependence of Steel Weld Properties on Lattice Structure—J. Heuschkel, 82-s to 90-s.
Weldability—Effect of Microstructure on the Morphology of Fracture—Part II—J. C. Danko and R. D. Stout, 77-s to 81-s.
Weldability—Effect of Microstructure on Notch Toughness—Part III—J. H. Gross and R. D. Stout, 72-s to 76-s.
Weldability—Effect of Notch Orientation on Weld-Metal Impact Properties—D. J. Snyder, 381-s to 382-s.
Weldability—Effect of Temperature on the Fracturing Behavior of Mild Steel—J. D. Lubahn, 557-s to 568-s.
Weldability—Evaluation of the Significance of Charpy Tests for Quenched and Tempered Steels—P. P. Puzak and W. S. Pellini, 275-s to 290-s.
Weldability—Evaluation of Weld-Cracking Tests of Armor Steel—S. Weiss, J. N. Ramsey and H. Udin, 348-s to 356-s.
Weldability—Formation of Austenite in Plain Carbon Steels at High Heating Rates—Robert A. Huggins, Harry Udin and John Wulff, 18-s to 26-s.
Weldability—Fracture Behavior in the Notch Slow-Bend Test—W. J. Murphy and R. D. Stout, 169-s to 180-s.
Weldability—Impact Performance of Synthetically Reproduced Heat-Affected Zone Microstructure in T-1 Steel—E. F. Nippes and C. R. Sibley, 473-s to 480-s; Discussion by K. Winterton, 480-s.
Weldability—Isothermal Studies on the Weld-Metal Microcracking of Arc Welds in Mild Steels—A. E. Flanigan and Z. P. Saperstein, 541-s to 556-s.
Weldability—Mild-Steel Weld-Metal Porosity—J. T. Ballass and R. D. Stout, 409-s to 415-s.
Weldability—Notch Ductility of Weld Metal—William S. Pellini, 217-s to 233-s.

Weldability—Some Dynamic Mechanical Properties of Heat-Treated Low-Alloy Weld Deposits—E. H. Franks and W. H. Wooding, 291-s to 297-s.
Weldability—Triaxial Tension Testing and the Brittle Fracture Strength of Metals—N. Bredzs and H. Schwartzbart, 610-s to 615-s.
Weldability—V-Notch Charpy Impact Testing of Weld Metal and Heat-Affected Zone Simultaneously—William P. Hatch, Jr., and Carl E. Hartbower, 120-s to 126-s.
Weldability—Weld Cracking Susceptibility Test for Sheet Materials—John S. Boudreau, 164-s to 168-s; Discussion—E. H. Kinelski and G. R. Pease, 498-s to 500-s.
Weldability—Welding of Steels for High-Temperature Purposes—E. Kauhausen, 347-s, 356-s.

Zircaloy 2, Embrittlement of Multipass Welds in—J. T. Niemann and R. P. Sopher, 27-s to 31-s.

AUTHOR INDEX

Allen, W. J.—Metal Finish Seam Welding, 597-s to 603-s.
Apblett, W. R.—Hot Cracking of Stainless Steel Weldments, 9-s to 17-s.

Ballass, J. T.—Mild-Steel Weld-Metal Porosity, 409-s to 415-s.
Beedle, L. S.—Behavior of Welded Single-Span Frames Under Combined Loading—Welded Continuous Frames and Their Components—Progress Report No. 17, 234-s to 252-s.
Begeman, M. L.—Electrical and Metallurgical Characteristics of Mash Seam Welds, 265-s to 274-s.
Metal Finish Seam Welding, 597-s to 603-s.
Beiser, C. A.—Embrittlement of a Ship Steel in a Nitrate Salt Bath, 383-s to 388-s.
Benson, L. R.—Problems Involved in Spot Welding Titanium to Other Metals, 481-s to 487-s.
Bighi, C.—Corrosion of Three Stainless Steels in Hot Hypochlorite Solution, 430-s.
Bland, Jay.—The Arc Welding of 2.25% Cr – 1.0% Mo Alloy Steel Pipe, 181-s to 194-s.
Boudreau, John S.—A Weld Cracking Susceptibility Test for Sheet Materials, 164-s to 168-s.
Bowman, C. E.—Resistance of Low-Alloy Steel Plates to Biaxial Fatigue, 102-s to 109-s.
Bredzs, N.—Wettability of Steel with Pure Silver and Various Silver-Brazing Alloys, 508-s to 520-s.
Triaxial Tension Testing and the Brittle Fracture Strength of Metals, 610-s to 615-s.
Bruckner, W. H.—Thermal Stability of Cold Butt Welds in Copper and Aluminum, 501-s to 505-s.
Burchfield, W. F.—Nickel and High-Nickel Alloys for Pressure Vessels, 32-s to 40-s.
Burth, R. F.—Welding the Cupro-Nickels by the Inert-Gas-Shielded Arc Processes, 401-s to 408-s.

Campus, F.—Stiffeners in Welded Plate Girders, 59-s.
Chang, W. H.—Basic Characteristics of Some Heat-Resisting Brazing Filler Materials, 431-s to 443-s.
A Dew-Point-Temperature Diagram for Metal-Metal Oxide Equilibria in Hydrogen Atmospheres, 622-s to 624-s.
Christoffel, R. J.—Carbon Migration in Welded Joints at Elevated Temperatures, 457-s to 468-s.
Claussen, G. E.—The Effect of I^2R Heating on Electrode Melting Rate, 1-s to 8-s.
Cotter, Olga A.—Effect of Current and Atmospheres on Arc Temperatures, 109-s to 112-s.
Curran, R. M.—Carbon Migration in Welded Joints at Elevated Temperatures, 457-s to 468-s.

Daley, D. M., Jr.—Notch Toughness of Weld Deposits in Commercial Titanium Alloys, 447-s to 456-s.
Danko, J. C.—The Effect of Microstructure on the Morphology of Fracture—Part II, 77-s to 81-s.
Further Studies on the Effect of Microstructure on Notch Toughness and Fracture Morphology, 604-s to 609-s.
Day, Emmet E.—Strain Energy Release Rate Determination for Some Perforated Structural Members, 60-s to 64-s.
DeLong, W. T.—Measurement and Calculation of Ferrite in Stainless-Steel Weld Metal, 521-s to 528-s.
Dolan, T. J.—Resistance of Low-Alloy Steel Plates to Biaxial Fatigue, 102-s to 109-s.
Significance of Fatigue Data in Design of Pressure Vessels, 255-s to 260-s.
Dowd, J. D.—Inert Shielding Gases for Welding Aluminum, 207-s to 210-s.
Dubuc, Julien—Investigation of Static and Fatigue Resistance of Model Pressure Vessels, 329-s to 337-s.

Eberle, F.—Development of a Ferritic-Austenitic Weld Joint for Steam Plant Application, 529-s to 540-s.
Evans, E. B.—Embrittlement of a Ship Steel in a Nitrate Salt Bath, 383-s to 388-s.

Flanigan, A. E.—Isothermal Studies on the Weld-Metal Microcracking of Arc Welds in Mild Steel, 541-s to 556-s.
Franks, E. H.—Some Dynamic Mechanical Properties of Heat-Treated Low-Alloy Weld Deposits, 291-s to 297-s.
Funk, E. J.—Electrical and Metallurgical Characteristics of Mash Seam Welds, 265-s to 274-s.

Garibotti, D. J.—Embrittlement of a Ship Steel in a Nitrate Salt Bath, 383-s to 388-s.
Gordon, G. M.—Effect of Current and Atmospheres on Arc Temperatures, 109-s to 112-s.
Gore, Willis C.—Analysis of the Direct-Current Arc, 153-s to 160-s.
Green, Robert S.—The Behavior of Spot Welds Under Stress, 65-s to 71-s.
Greene, T. W.—Controlled Low-Temperature Stress Relieving of Pressure Vessels, 145-s to 152-s.
Grosh, R. J.—Arc-Welding Temperatures, 396-s to 400-s.
Gross, J. H.—The Effect of Microstructure on Notch Toughness—Part III, 72-s to 76-s.
The Performance of High-Strength Pressure-Vessel Steels, 115-s to 119-s.
Further Studies on the Effect of Microstructure on Notch Toughness and Fracture Morphology, 604-s to 609-s.
Groth, Willis G.—The Welding of High-Strength Aluminum Alloys in Heavy Sections, 616-s to 622-s.

Hansel, G.—Mechanical Properties of Butt Joints Brazed with BAg-1, BAg-3 and BCu Filler Metals, 211-s to 216-s.
Hartblower, Carl E.—V-Notch Charpy Impact Testing of Weld Metal and Heat-Affected Zone Simultaneously, 120-s to 126-s.
Notch Toughness of Weld Deposits in Commercial Titanium Alloys, 447-s to 456-s.
Hatch, William P., Jr.—V-Notch Charpy Impact Testing of Weld Metal and Heat-Affected Zone Simultaneously, 120-s to 126-s.
Hawthorne, L. H.—Welding the Cupro-Nickels by the Inert-Gas-Shielded Arc Processes, 401-s to 408-s.
Hazlett, Thomas H.—Effect of Individual Coating Ingredients on Surface Tension of Iron Electrodes, 113-s to 114-s.
Hechtman, Robert A.—Welded Reinforcement of Openings in Structural Steel Tension Members, 421-s to 430-s.
Henry, O. H.—Tensile-Impact Properties of Commercially Pure Titanium at Various Temperatures, 99-s to 101-s.
Henson, Jimmy—Problems Involved in Spot Welding Titanium to Other Metals, 481-s to 487-s.
Heuschkel, J.—Dependence of Steel Weld Properties on Lattice Structure, 82-s to 90-s.
Time-Temperature Dependence of Austenitic Stainless-Steel Welded Joint Components, 569-s to 581-s.
Holt, Marshall—Aluminum and Aluminum Alloys for Pressure Vessels, 308-s to 312-s.
Huggins, Robert A.—The Formation of Austenite in Plain Carbon Steels at High Heating Rates, 18-s to 26-s.
Huseby, R. A.—Discussion, "The Arc Welding of 2.25% Cr – 1.0 Mo Alloy Steel Pipe," 505-s to 507-s; Author's Reply, 507-s.
Hyatt, B. Z.—Tensile-Impact Properties of Commercially Pure Titanium at Various Temperatures, 99-s to 101-s.

Jackson, C. E.—The Effect of I^2R Heating on Electrode Melting Rate, 1-s to 8-s.
Jensen, Cyril—Welded Top Plate Beam-Column Connections, 338-s to 347-s.
Johannes, K. P.—Effect of Moisture in the Coatings of Low-Hydrogen Iron-Powder Electrodes, 313-s to 322-s.

Kauhausen, E.—The Welding of Steels for High-Temperature Purposes, 347-s; 356-s.
Kerkhof, W. P.—Stresses in Welded Pressure Vessels, 41-s to 59-s.
Kinelski, E. H.—Discussion, "A Weld Cracking Susceptibility Test for Sheet Materials", 498-s to 499-s; Author's Reply, 500-s.
Lankford, W. T.—Effect of Cold Work on the Mechanical Properties of Pressure Vessel Steels, 195-s to 206-s.
Larigaldie, A.—Thermal Efficiency in Arc Welding, 252-s.
Logan, H. L.—Stress-Corrosion Cracking of Type 304 Austenitic

Stainless Steel, 389-s to 395-s.
LOUIS, H.—Stiffeners in Welded Plate Girders, 79-s.
LUBAHN, J. D.—Effect of Temperature on the Fracturing Behavior of Mild Steel, 557-s to 568-s.
LYTLE, ARTHUR R.—Research—An Aid to Productivity, 357-s to 360-s.

MARTIN, D. C.—Welding of High-Strength Stainless Steels for Elevated-Temperature Use, 137-s to 144-s.
Fabrication and Welding of Arc-Cast Molybdenum, 488-s to 498-s.
MASON, E. W.—Properties of Arc-Welded Joints Between Aluminum and Stainless Steel, 323-s to 328-s.
MATUSZESKI, A.—The Welding of High-Strength Aluminum Alloys in Heavy Sections, 616-s to 622-s.
MCBEE, FRANK W., JR.—Problems Involved in Spot Welding Titanium to Other Metals, 481-s to 487-s.
MCCAULEY, ROY B.—The Behavior of Spot Welds Under Stress, 65-s to 71-s.
MCGEADY, LEON J.—Preheating and Postheating for Field Erection of Mild-Steel Pressure Vessels, 444-s to 446-s.
MCKINSEY, C. R.—Controlled Low-Temperature Stress Relieving of Pressure Vessels, 145-s to 152-s.
MILLER, M. A.—Properties of Arc-Welded Joints Between Aluminum and Stainless Steel, 323-s to 328-s.
MOAZED, KHOSROW L.—Optimum Spot and Seam Welding Conditions for Inconel "W," 127-s to 136-s.
MONROE, R. E.—Fabrication and Welding of Arc-Cast Molybdenum, 488-s to 498-s.
MORRIS, ALAN D.—Analysis of the Direct-Current Arc, 153-s to 160-s.
MUNSE, W. H.—Fatigue Strength of Welds in Low-Alloy Structural Steels, 298-s to 307-s.

MURPHY, J. J.—Considerations Affecting Future Pressure Vessel Codes, 582-s to 595-s.
MURPHY, W. J.—Fracture Behavior in the Notch Slow-Bend Test, 169-s to 180-s.

NEWMARK, N. M.—Fatigue Strength of Welds in Low-Alloy Structural Steels, 298-s to 307-s.
NIEMANN, J. T.—Embrittlement of Multipass Welds in Zircaloy 2, 27-s to 31-s.
NIPPES, ERNEST F.—Optimum Spot and Seam Welding Conditions for Inconel "W," 127-s to 136-s.
Impact Performance of Synthetically Reproduced Heat-Affected-Zone Microstructures in "T-1" Steel, 473-s to 480-s.
NORDMARK, G. E.—Fatigue Strength of Welds in Low-Alloy Structural Steels, 298-s to 307-s.

OSTROM, G. A.—Measurement and Calculation of Ferrite in Stainless-Steel Weld Metal, 521-s to 528-s.

PANCALDI, G.—Corrosion of Three Stainless Steels in Hot Hypochlorite Solution, 430-s.
PARKER, E. R.—Effect of Current and Atmospheres on Arc Temperatures, 109-s to 112-s.
Effect of Individual Coating Ingredients on Surface Tension of Iron Electrodes, 113-s to 114-s.
PEASE, G. R.—Corrosion of Nickel-Chromium-Iron Alloys by Welding Slags, 469-s to 472-s.
Discussion, "A Weld Cracking Susceptibility Test for Sheet Materials," 498-s to 499-s; Author's Reply, 500-s.
PELLINI, W. S.—Hot Cracking of Stainless Steel Weldments, 9-s to 17-s.
Notch Ductility of Weld Metal, 217-s to 233-s.
Evaluation of the Significance of Charpy Tests for Quenched and Tempered Steels, 275-s to 290-s.
PHILLIPS, A.—The Effects of Zinc Phosphate Coating on Flash Welding of Steel Tubing, 416-s to 420-s.
PLATTE, W. N.—Influence of Oxygen on Soundness and Ductility of Molybdenum Welds, 369-s to 381-s.
PRAY, R. FORD—Welded Top Plate Beam-Column Connections, 338-s to 347-s.
PUZAK, P. P.—Hot Cracking of Stainless Steel Weldments, 9-s to 17-s.
Evaluation of the Significance of Charpy Tests for Quenched and Tempered Steels, 275-s to 290-s.

RAMSEY, J. N.—Evaluation of Weld-Cracking Tests on Armor Steel, 348-s to 356-s.
RINEHART, W. G.—Effect of Moisture in the Coatings of Low-Hydrogen Iron-Powder Electrodes, 313-s to 322-s.
ROSSHEIM, D. B.—Considerations Affecting Future Pressure Vessel Codes, 582-s to 595-s.

RUDY, JOHN F.—The Behavior of Spot Welds Under Stress, 65-s to 71-s.

SAPERSTEIN, Z. P.—Isothermal Studies on the Weld-Metal Microcracking of Arc Welds in Mild Steel, 541-s to 556-s.
SAVAGE, WARREN F.—Optimum Spot and Seam Welding Conditions for Inconel "W," 127-s to 136-s.
SAYLES, J. H.—Thermal Stability of Cold Butt Welds in Copper and Aluminum, 501-s to 505-s.
SCHAEFFLER, ANTON L.—A Test Block for Welding Gray and Nodular Cast Irons, 91-s to 99-s.
SCHEIL, M. A.—Discussion, "The Arc Welding of 2.25% Cr – 1.0 Mo Alloy Steel Pipe," 505-s to 507-s; Author's Reply 507-s.
SCHILLING, C. G.—Behavior of Welded Single-Span Frames Under Combined Loading—Welded Continuous Frames and Their Components—Progress Report No. 17, 234-s to 252-s.
SCHNEIDER, R. W.—Discussion "Considerations Affecting Future Pressure Vessel Codes," 595-s to 596-s; Author's Reply, 596-s.
SCHUMBACKER, WILLERD A.—A Test Block for Welding Gray and Nodular Cast Irons, 91-s to 99-s.
SCHUTZ, F. W., JR.—Behavior of Welded Single-Span Frames Under Combined Loading—Welded Continuous Frames and Their Components—Progress Report No. 17, 234-s to 252-s.
SCHWARTZBART, H.—Triaxial Tension Testing and the Brittle Fracture Strength of Metals, 610-s to 615-s.
SCOTT, D. A.—Rupture Properties of Inconel Weldments at 1400, 1600 and 1800° F., 161-s to 163-s.
SHERMAN, R. J., JR.—Stress-Corrosion Cracking of Type 304 Austenitic Stainless Steel, 389-s to 395-s.
SIBLEY, CRAIG R.—The Effect of Aluminum Additions to Mild-Steel Weld Metal, 361-s to 368-s.
Impact Performance of Synthetically Reproduced Heat-Affected-Zone Microstructures in "T-1" Steel, 473-s to 480-s.
SMITH, D. C.—Effect of Moisture in the Coatings of Low-Hydrogen Iron-Powder Electrodes, 313-s to 322-s.
SNYDER, DANIEL J.—Effect of Notch Orientation on Weld-Metal Impact Properties, 381-s to 382-s.
SODERBERG, C. R., JR.—Considerations Affecting Future Pressure Vessel Codes, 582-s to 595-s.
SOPHER, R. P.—Embrittlement of Multipass Welds in Zircaloy 2, 27-s to 31-s.
STALLMEYER, J. E.—Fatigue Strength of Welds in Low-Alloy Structural Steels, 298-s to 307-s.
STOUT, R. D.—The Effect of Microstructure on Notch Toughness—Part III, 72-s to 76-s.
The Effect of Microstructure on the Morphology of Fracture—Part II, 77-s to 81-s.
The Performance of High-Strength Pressure-Vessel Steels, 115-s to 119-s.
Fracture Behavior in the Notch Slow-Bend Test, 169-s to 180-s.
Mild-Steel Weld-Metal Porosity, 409-s to 415-s.
Further Studies on the Effect of Microstructure on Notch Toughness and Fracture Morphology, 604-s to 609-s.
SZUMACHOWSKI, E. R.—Measurement and Calculation of Ferrite in Stainless-Steel Weld Metal, 521-s to 528-s.

TER BERG, J.—Thermal Efficiency in Arc Welding, 252-s.
TESKE, K.—Research on Oxygen Cutting, 480-s.
TRABANT, E. A.—Arc-Welding Temperatures, 396-s to 400-s.
TUCKER, J. T.—Development of a Ferritic-Austenitic Weld Joint for Steam Plant Application, 529-s to 540-s.

UDIN, HARRY—The Formation of Austenite in Plain Carbon Steels at High Heating Rates, 18-s to 26-s.
Evaluation of Weld-Cracking Tests on Armor Steel, 348-s to 356-s.

VAGI, J. J.—Welding of High-Strength Stainless Steels for Elevated-Temperature Use, 137-s to 144-s.
VASARHELYI, DESI D.—Welded Reinforcement of Openings in Structural Steel Tension Members, 421-s to 430-s.

WEARE, N. E.—Fabrication and Welding of Arc-Cast Molybdenum, 488-s to 498-s.
WEISS, S.—Evaluation of Weld-Cracking Tests on Armor Steel, 348-s to 356-s.
WELTER, GEORGES—Investigation of Static and Fatigue Resistance of Model Pressure Vessels, 329-s to 337-s.
WIENE, P. E.—Effect of Annealing (650° C) on Bending Fatigue of Large Welded Test Pieces, 261-s to 264-s.
WILSON, J. L.—The Effect of I^2R Heating on Electrode Melting Rate, 1-s to 8-s.
WILSON, R. M., JR.—Nickel and High-Nickel Alloys for Pressure Vessels, 32-s to 40-s.
WINTERTON, K.—Discussion, Impact Performance of Synthetically Reproduced Heat-Affected-Zone Microstructures in "T-1" Steel; Author's Reply, 480-s.
WOODING, W. H.—Some Dynamic Mechanical Properties of Heat-Treated Low-Alloy Weld Deposits, 291-s to 297-s.
WULFF, JOHN—The Formation of Austenite in Plain Carbon Steels at High Heating Rates, 18-s to 26-s.

YOUNG, J. F.—The Effects of Zinc Phosphate Coating on Flash Welding of Steel Tubing, 416-s to 420-s.